

1-800-789-8143

D.S.  
**SEWING**  
INC  
Guaranteed Quality

TM

[www.ds-sewing.com](http://www.ds-sewing.com)

TRUCK

# TARP



# CATALOG

LUMBER • WASTE MANAGEMENT • CONSTRUCTION • STEEL

*Made in the USA*

*IF YOU CAN IMAGINE IT, WE CAN SEW IT™!*



**1-800-789-8143**

***IF YOU CAN IMAGINE IT, WE CAN SEW IT™!***

Custom Designed, industrial heat sealed and sewn products are envisioned in house by a qualified staff of professionals. If you can imagine it, we can sew it™!



**QUALITY SALES**



**IN HOUSE DESIGN**



**CUSTOM SEWING**




**QUICK SHIPPING**

D.S. Sewing Inc.™ manufactures guaranteed quality truck tarps for trucking fleets and independent owner operators from the strongest fabrics available. Choose from black, blue, gray, green or red vinyl coated polyester. Our truck tarps are known throughout the industry for their longevity and strength. D.S. Sewing Inc.™ also provides the tie down equipment and accessories needed to secure these covers and your freight securely to your trailer. Phone orders are accepted, talk to us at **1-800-789-8143** about your truck cover specifications. D.S. Sewing Inc.™ can produce truck tarps from other fabrics if specified by the customer. Have your truck cover drop shipped anywhere in the continental United States within 24-48 hours. **If you need one truck cover or one hundred, D.S. Sewing Inc.™ is your truck accessory resource.**

**FIND IT ALL ON OUR WEBSITE !**

[www.ds-sewing.com](http://www.ds-sewing.com)



**1 PICK A CATEGORY**

**2 CHOOSE YOUR TARP**

**3 PURCHASE YOUR TARP**

**\* NOTE: All sales are subject to the terms and conditions stated in our **TERMS of SALES AGREEMENT**. Make sure you read this document at: [www.ds-sewing.com/legal.htm](http://www.ds-sewing.com/legal.htm) before placing your order!**




PHONE: 1 800 789 8143, 203 773 1344, FAX 203 773 1778  
MAILING ADDRESS: P.O. Box 8983, New Haven, CT. 06532  
MANUFACTURING & SALES OFFICE: 260 Wolcott Street, New Haven, CT. 06513



## LUMBER / SHEETROCK


For covering lumber, sheetrock, insulation, and bales of garbage. This tarp is available for 45' and 48' trailers.



### 2 PIECE LUMBER TARP

Two tarps are required to cover a 45' or 48' trailer. The three front flaps fold around your load and protect cargo from rain or snow. This design stops wind flapping, which is a major cause of ripping.

SIZE	WEIGHT	
	HEAVYWEIGHT	LIGHTWEIGHT
26' x 20'	95 lbs/18oz <b>SOLID</b>	60 lbs/10oz <b>SOLID</b>
26' x 22'	103 lbs/18oz <b>SOLID</b>	67 lbs/10oz <b>SOLID</b>
26' x 24'	119 lbs/18oz <b>SOLID</b>	70 lbs/10oz <b>SOLID</b>



### 3 PIECE LUMBER TARP

When ordering a standard 3-piece lumber tarp set; order 2 end sections and one middle section. The middle section can be used separately as a steel tarp. Three piece tarps are great for partials or multiple stop deliveries.

SIZE	END SECTIONS	
	HEAVYWEIGHT	LIGHTWEIGHT
17' x 20'	70 lbs/18oz <b>SOLID</b>	49 lbs/10oz <b>SOLID</b>
17' x 22'	74 lbs/18oz <b>SOLID</b>	49 lbs/10oz <b>SOLID</b>
17' x 24'	87 lbs/18oz <b>SOLID</b>	50 lbs/10oz <b>SOLID</b>

SIZE	MIDDLE SECTION	
	HEAVYWEIGHT	LIGHTWEIGHT
20' x 20'	68 lbs/18oz <b>SOLID</b>	46 lbs/10oz <b>SOLID</b>
20' x 22'	74 lbs/18oz <b>SOLID</b>	49 lbs/10oz <b>SOLID</b>
20' x 24'	83 lbs/18oz <b>SOLID</b>	55 lbs/10oz <b>SOLID</b>

Compare our **NEW** lightweight 10oz fabric to our 18oz fabric

MATERIAL	18oz (heavyweight)	10oz (lightweight)
Tensile Strength	475 x 450	450 x 400
Tear Strength	80 x 100	80 x 85
Temperature Range	- 40 to 160 F	-13 to 200 F

[www.ds-sewing.com](http://www.ds-sewing.com)



## Heavyweight LUMBER TARPS

Our **HEAVYWEIGHT LUMBER TARPS** are crafted of strong, 18oz vinyl-coated polyester fabric with a tensile strength of 475x450 lbs. They are reinforced with 1.15" polypropylene webbing, which stops edge ripping. Perfect for hauling lumber and sheetrock.



## 100% Waterproof Lightweight LUMBER TARPS

Our **LIGHTWEIGHT LUMBER TARPS** are crafted of strong, 10oz vinyl-coated polyester fabric with a tensile strength of 450x400 lbs. They are reinforced with 1.15" polypropylene webbing, which stops edge ripping.

On all tarps, hems and grommets are lock-stitched-sewn with two rows of UV-treated polyester thread.

To insure security, strength and a well protected load, we strategically install rustproof #2 brass rolled rimmed teeth

grommets along the hem line.

**COMPLETE  
LISTING of  
SIZES, PRICES and  
TERMS\***  
**VISIT OUR WEB SITE at:  
[www.ds-sewing.com](http://www.ds-sewing.com)**

**1-800-789-8143**



**LUMBER TARPS**


# FLATBED TARPES



## STEEL TARP

SIZE	HEAVYWEIGHT	LIGHTWEIGHT
20' x 14'	48lbs /18oz <b>SOLID</b>	34lbs /10oz <b>SOLID</b>
24' x 14'	60lbs /18oz <b>SOLID</b>	40lbs /10oz <b>SOLID</b>

This tarp covers coiled or flat steel, shingles and high density low area freight. It can be turned sideways and used with two smoke tarps for covering plywood (5' drops). This tarp has a 3' drop with two rows. The top row is about 18" and the bottom row is about 34". Two or three tarps are needed per trailer.



## Chameleon™ Rolling Tarps

The Rolling Tarp system allows one person to securely tarp a load in a fraction of the time it would take that same person using conventional tarping methods.


Dubbed the "Rolling Tarp System", the tarp does just that, it rolls into place easily and quickly. It completely covers a load in minutes saving time and drivers injuries. Unlike a side curtain's frame structure interfering with loading and unloading, The Rolling Tarp structure moves completely out of the way so the tarp does not obstruct the loading platform.



## FLATBED TARPES

SIZE	HEAVYWEIGHT	LIGHTWEIGHT
24' x 18' 6"	74lbs /18oz <b>SOLID</b>	49lbs /10oz <b>SOLID</b>

This all purpose flatbed tarp covers coiled steel, flat steel, sheet rock, machinery, plywood, shingles, high-density low area freight, and other loads. If combined with two smoke tarps, it can be used as a lumber tarp. The approximate size is 24' by 18' 6". It has a 5' 3" drop with two rows approximately 28" apart. All grommets are about 2 feet apart. Two or three tarps are needed per trailer.




## SHINGLE TARP

SIZE	HEAVYWEIGHT	LIGHTWEIGHT
24' x 16'	67lbs /18oz <b>SOLID</b>	38lbs /10oz <b>SOLID</b>

This shingle tarp covers coiled steel, flat steel, shingles and machinery.

It's a good all purpose tarp. The size is approximately 16' x 24'. By turning the tarp sideways, when used with Smoke Tarps, they are good for covering sheet rock.



Dave has a simple method for saving money and space by ordering just a couple different tarps for all your various types of freight. All it takes is a notebook, pen, and a tape measure. For the next few weeks, keep them somewhere in your cab (on the floor, in the glove compartment, on the passenger seat).

As you pick up different types of freight, take a moment to walk around the trailer with your tape measure. Jot down the height, length, and width of the cargo. Also note the way it is stacked on your trailer.

Looking over your notebook entries after a few weeks, figure out a couple average tarp sizes that would suit a variety of needs. For example, a **lumber tarp** of a certain size could also be used to cover **machinery** or **sheetrock**.


The people at D.S. Sewing Inc.™ can help you figure out the best sized tarp for your load. Call us today and speak with a member of our trained sales staff.



**1-800-789-8143**

[www.ds-sewing.com](http://www.ds-sewing.com)





### COIL BONNET

SIZE	HEAVYWEIGHT	LIGHTWEIGHT
70"x 70"x 70"	26lbs /18oz <b>SOLID</b>	22lbs /10oz <b>SOLID</b>

This bonnet tarp for coiled steel is approximately 70" x 70" x 70". It's quick and easy to install, remove, or fold. This size bonnet will cover two small coils or one extra large coil. Grommets are located for easy placement of 21" rubber straps. The height is designed to fit snugly to the floor. Larger sizes can be custom designed.


### FLAT SMOKE TARP

SIZE	HEAVYWEIGHT	LIGHTWEIGHT
11' x 9'9"	18lbs/ 18oz <b>SOLID</b>	11lbs/ 10oz <b>SOLID</b>

### FITTED SMOKE TARP

SIZE	HEAVYWEIGHT	LIGHTWEIGHT
96"x96"x18"	17lbs/18oz <b>SOLID</b>	11lbs/10oz <b>SOLID</b>
96"x102"x18"	18lbs/18oz <b>SOLID</b>	11lbs/10oz <b>SOLID</b>

Keep your load free of dirt and soot with these SmokeTarps. It covers the front of the load. The Smoke Tarps are durable, long lasting and easy to handle.



### MACHINE TARP


SIZE	HEAVYWEIGHT	LIGHTWEIGHT
20'x20'	64lbs /18oz <b>SOLID</b>	43lbs /10oz <b>SOLID</b>
20'x30'	83lbs /18oz <b>SOLID</b>	57lbs /10oz <b>SOLID</b>
25'x25'	87lbs /18oz <b>SOLID</b>	59lbs /10oz <b>SOLID</b>
25'x30'	102lbs /18oz <b>SOLID</b>	68lbs /10oz <b>SOLID</b>

Shown here is a standard 20' x 20' tarp for covering machines and other loads during transporting. Various sizes are stocked for immediate delivery. Custom machine covers can be manufactured to your specifications and delivered within seven working days. This machine tarp has graduated drops with grommets spaced approximately every 24 inches. This design increases the tarps longevity by stopping the tarp from flapping in the wind, which is a major cause of tarp wear and damage.

### FLAT COIL TARP

SIZE	HEAVYWEIGHT	LIGHTWEIGHT
24' x 11'	50lbs/18oz <b>SOLID</b>	30lbs/10oz <b>SOLID</b>


This flat coil tarp covers flat steel and coiled steel. It also works well for small coils on pallets. Tarp is approximately 24' x 11'. Two tarps per trailer are needed, or one tarp covers a P&D straight truck.



### COVERED WAGON

SIZE	HEAVYWEIGHT
45' x 8'	110lbs /18oz <b>SOLID</b>
48' x 8'	115lbs /18oz <b>SOLID</b>

This 45' x 8' Covered Wagon Tarp has sewn in corners, forming approximately a 10" overhang on the side of your trailer. It's made of 18 ounce vinyl-coated polyester. Back your trailer into our facility for a custom fitted Covered Wagon Tarp (appointment needed).



**COMPLETE  
LISTING of  
SIZES, PRICES and  
TERMS\***  
**VISIT OUR WEB SITE at:**  
**www.ds-sewing.com**  
**1-800-789-8143**

www.ds-sewing.com

**1-800-789-8143**



FLATBED TARP





## DUMP TRUCK TARP

SIZE	WEIGHT/FABRIC
18' x 7'	15lb/18oz <b>SOLID</b> or 30lb/6oz <b>MESH</b>
20' x 7'	15lb/18oz <b>SOLID</b> or 30lb/6oz <b>MESH</b>
22' x 7'	15lb/18oz <b>SOLID</b> or 30lb/6oz <b>MESH</b>
24' x 7'	15lb/18oz <b>SOLID</b> or 30lb/6oz <b>MESH</b>

For sand, gravel, or dirt, we recommend mesh fabric. 18 ounce solid is recommended for asphalt.

These tarps come in lengths from 18' to 24'.

These tarps have reinforced front edge and looped hem in back with double webbing to increase strength.



## FLAT TARPS

SIZE	HEAVYWEIGHT	LIGHTWEIGHT
20' x 10'	30lbs/18oz <b>SOLID</b>	20lbs/10oz <b>SOLID</b>
25' x 15'	52lbs/18oz <b>SOLID</b>	35lbs/10oz <b>SOLID</b>
30' x 20'	74lbs/18oz <b>SOLID</b>	50lbs/10oz <b>SOLID</b>
45' x 25'	130lbs/18oz <b>SOLID</b>	85lbs/10oz <b>SOLID</b>

This vinyl-coated polyester tarp covers anything on the job site.

**Call us for custom tarps other than the standard sizes.**

Hems are made with 1.5" polypropylene webbing with grommets approximately 2' apart.



If you're in the hauling business, your livelihood can depend on the condition of your truck tarp. **Truck Tarps** from D.S. Sewing Inc.™ -- made of the highest quality vinyl-coated polyester -- can last up to three years with proper care. Fortunately, proper care doesn't involve anything complicated. There are just a few simple steps you must take to protect your investment from the worst enemy of tarp fabric: abrasion.

To illustrate how destructive abrasion can be to a truck tarp, Dave likens highway driving to a hurricane. Winds in a hurricane can reach 60 mph and higher? Just like your **flatbed truck** on an Interstate. Even when there is no wind, your entire truck is shaking and rattling all day long as it barrels down the freeway. Under those conditions, objects as small as splinters or burrs can rub against your truck tarp and wear through even the best fabric.

If a hole develops, you've got a problem. How are you going to keep rain and salt off your load? Here's one suggestion for keeping your tarp in tip-top shape: after your flatbed is loaded with cargo, take a walk around the truck. Look for points sticking out, even small ones, that might rub against the tarp. It is often

easy to smooth over these areas if they are noticed in time. For example, metal crimps on bundles of lumber could wreak havoc on a tarp. Use duct tape to cover the crimps, or pound them down with a hammer.

Finally, remember that abrasion can work against your tarp even when you're not carrying any cargo. A folded-up tarp sitting directly on your empty flatbed will rub against rocks and other tiny particles at 60 mph until they become lodged in the fabric. To avoid having your tarp resemble a giant piece of sandpaper, place a carpet or piece of cardboard underneath before strapping it to your empty flatbed. Drivers have also been known to place their idle tarps on the **deck plates** behind their truck cabs. But these areas have rough surfaces to avoid slippage, so use carpet or cardboard there as well. These simple steps will ensure you get the longest possible life out of your D.S. Sewing Inc.™ tarp.

*Take care of your tarp! Remember, you're in a hurricane all day long.*


MATERIAL	18oz Solid Vinyl Coated Polyester	10oz Solid Vinyl Coated Polyester	6.5oz Mesh Vinyl Coated Polyester
Tensile Strength	475 x 450	450 x 400	209 x 204
Tear Strength	80 x 100	80 x 85	120 x 110
Temperature Range	- 40 to 160 F	-13 to 200 F	0 to 270 F



**1-800-789-8143**

[www.ds-sewing.com](http://www.ds-sewing.com)





### MOVING FLOOR TARP

SIZE	WEIGHT/FABRIC
48'x12'	36lb/ 6oz MESH
50'x12'	41lb/ 6oz MESH

These Moving Floor tarps are good for covering garbage, demolition debris, and wood chips (with our chip deflection panel). These tarps come in standard 48' x 12' or 50' x 12' sizes. These tarps are crafted of strong 6.5 ounce vinyl-coated 9x9 denier polyester mesh with a tensile strength of 209 lbs. warp x 204 fill. Front corners can be sewn in.

### REPLACEMENT ROLL OVER

SIZE	WEIGHT/ FABRIC
36'x10'	64lb/18oz <b>SOLID</b>
38'x10'	66lb/18oz <b>SOLID</b>
40'x10'	68lb/18oz <b>SOLID</b>
43'x10'	70lb/18oz <b>SOLID</b>
45'x10'	74lb/18oz <b>SOLID</b>
48'x10'	76lb/18oz <b>SOLID</b>

Replacement roll-over tarps are available in a variety of sizes and materials. Choose the material based on your needs for hauling: demolition, garbage, or wood chips.





### HAND ROLL OFF CONTAINER

SIZE	WEIGHT/FABRIC	WEIGHT/FABRIC	WEIGHT/FABRIC
24'x12'	18lb/ 6oz MESH	50lbs/18oz <b>SOLID</b>	20lbs/10oz <b>SOLID</b>
26'x12'	20lb/ 6oz MESH	NA	NA



Hand Roll-Off Container Tarps are used to cover roll off containers for the demolition and garbage industries. Our strong fabric is known for its long lasting durability. With the grommets and webbing along the hems you can secure your cover to the roll off container.



### MECHANICAL ARM ROLL OFF CONTAINER TARP

SIZE	WEIGHT/FABRIC	WEIGHT/FABRIC
28'x8'	40lb/ 18oz <b>SOLID</b>	25lb/ 6.5oz MESH
26'x8'	35lb/ 18oz <b>SOLID</b>	20lb/ 6.5oz MESH

Mechanical Arm Roll-Off Container Tarps are used to cover roll off containers for the demolition and garbage industries. Our strong fabric is known for its long lasting durability. With the grommets and webbing along the hems you can secure your cover to the roll off container.





*Made in the USA*

P.O. Box 8983, New Haven, CT. 06532

***IF YOU CAN IMAGINE IT, WE CAN SEW IT™!***

**1-800-789-8143**  
**www.ds-sewing.com**



*Channelon™ Rolling Tarps*



**TIE DOWN EQUIPMENT**  
Shipped with your order!

